## **Response to Bidders Queries - Power Information Technology Company (PITC)**

## Tender No. PITC/G-224(37)/11-2019

Sr. No.	Page No	Clause No.	Description	Question
1.	-	-	Do we need to quote unit price of each UPS or it will be multiplied with the quantities mentioned in the tender? Earnest money will be furnished accordingly?	Evaluation will be made on item basis. Bidders can quote for any item in each lot, however, bid money is fixed on lot basis as below: Lot-A (Servers, Desktop, Laptop): 500,000 Lot-B (Printers): 500,000 Lot-C (Projector, Scanner, etc.): 25,000 Lot-D (hard disks, backup media, LED monitors): 25,000 Lot-E (Misc. Toners, Cartridges, Ribbons, etc.): 50,000 Lot-F (Software): 25,000
2.	-	-	Enterprise Servers(Option-1/Option-2) A-1: The required processor model "Intel® Xeon® Gold 6130" doesn't match with the mentioned specifications "2.3G,16C/32T,10.4GT/s, 22M Cache, Turbo, HT (125W) or higher"	The processor specs may be read as: "Intel® Xeon® Gold 6130 or higher: "Base 2.1GHz,16C/32T,Bus 10.4GT/s, 22M Cache, Turbo 3.7GHz, HT Technology (125W)"
3.	-	-	Entry Servers A-2: The required processor model "Intel® Xeon® Gold 5122" doesn't match with the mentioned specifications "3.8 GHz, 16.5M cache, 4C/8T, turbo 3.7 Ghz"	The processor specs may be read as: "Intel® Xeon® Gold 5122 or higher: Base 3.6GHz, Turbo 3.7 GHz, 16.5M cache, 4C/8T"
4.	-	-	Branded Desktop Computers- A-3 : Optiplex 5070 – Our DVD RW is 8X against tender required 16X. Please do it generic	The specs for DVD RW may be read as 8X whereas remaining specs remains same.
5.	-	-	Branded Desktop Computers- A-4 : Dell don't have Ci5 9750H processor in offering in Desktops. Dell has Ci7 9700. Our DVD RW is 8X against required 16X.	Processor spec for A-4 (branded desktop computers) may be read as Ci7 9700; Moreover, specs for DVD RW may be read as 8X whereas remaining specs remains same.

<sup>6.</sup> In the light of Pre-Bid conference, specifications of printers 'LOT-B' are reproduced below; however, specifications for remaining LOTs, except modifications at sr. 3 to 8 above, remains same.

	LOT-B: Specifications for Printer (Brands: HP/Epson/Cannon/Minolta/Xerox or Equivalent internationally recognized brands)		
Sr.	Printer	Description	
B-1	22 PPM LaserJet	Print Speed: 22 PPM (A4) or higher	
	Printer (B&W)	Resolution: 600 x 600 dpi	
		Memory: 128 MB RAM (Minimum)	
		Processor: 600 MHz or above	
		Monthly duty cycle: 8,000 pages or above	
		Connectivity: USB , WiFi802.11b/g Operational Manuals, Drivers, Power & Interface	
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.	
B-2	28 PPM Laser Jet	Print Speed: 28 PPM (A4) or higher	
	Printer (B&W)	Resolution: 600 x 600 dpi	
		Memory: 256 MB RAM (Minimum)	
		Processor: 600 MHz or higher	
		Monthly duty cycle: 30,000 pages Automatic Duplex	
		Paper Tray: 2 (Minimum)	
		Connectivity: USB/Ethernet 10/100 Operational Manuals, drivers, Power & Interface	
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.	
B-3	38 PPM Laser Jet	Print Speed: 38 PPM (A4) or higher	
	Printer (B&W)	Resolution: 1200 x 1200 dpi	
		Memory: 256 MB RAM (Minimum) or higher	
		Processor: 800 MHz (Minimum)	
		Monthly duty cycle: 80,000	
		Connectivity: 1 Hi-speed USB 2.0, 1 Ethernet 1/100/1000 Gigabit Network Auto Sleep Mode/ Auto-On/Auto-off Technology	
		Mobile printing capability e print and air print	
		Direct printing from USB storage device Operational Manuals, drivers, Power & Interface	
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.	
		Option-1: Networking laser jet printer	
		Option-2: Networking and Duplex laser jet printer	
B-4	18 PPM Laser Jet	Print Speed: 18 PPM (A4) or Higher	
	Printer (Colour)	Resolution: 600 x 600 dpi	
		Memory: 128 MB RAM	
		Processor: 800 MHz	
		Paper Capacity: 150 sheets	
		Monthly duty cycle: 30,000	
		Connectivity: 1 USB , Ethernet 10/100 Operational Manuals, drivers, Power & Interface cables	
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.	

B-5	55-60 PPM LaserJet	Print Speed: 55-60 PPM (A4) or (letter)
	Printer (B&W)	Resolution: 1200 x 1200 dpi
	, ,	Memory: 1 GB RAM or higher
		Processor: 800 MHz or higher
		(Minimum) Standard 500 paper capacity (Maximum) 3,000 paper capacity,
		Optional : Finisher with minimum 3000 sheets (price may be quoted separately)
		Hard Disk 250 GB or above
		Monthly duty cycle: 300,000
		Connectivity: 2 Hi-speed USB 2.0, 1 Ethernet 1/100/1000 Gigabit network
		Instant-on Technology and Auto-On/Auto-off Technology Mobile printing capability e Print and air print, Direct printing from USB
		storage device Operational Manuals, Power & Interface Cable
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.
		Printing Economy: Toner (Price, Yield, Page cost), Maintenance Kit (Price, Yield, Page cost), Total Per Page Cost (PKR)
B-6	62 PPM LaserJet	Print Speed: 62 PPM (A4) or ( letter)
	Printer (B&W)	Resolution: 1200 x 1200 dpi
	(= 0)	Memory: 2 GB RAM or higher
		Processor: 800 MHz
		(Minimum) Standard 500 paper capacity (Maximum) 3,000 paper capacity,
		Optional: Finisher with minimum 3000 sheets (price may be quoted separately)
		Monthly duty cycle: 300,000
		Connectivity: Hi-speed USB 2.0 or higher, Ethernet 1/100/1000 Gigabit network
		Mobile printing capability, Password-protected Department ID Management
		Direct printing from USB storage device Operational Manuals, Power & Interface Cable
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.
		Printing Economy: Toner (Price, Yield, Page cost), Maintenance Kit (Price, Yield, Page cost), Total Per Page Cost (PKR)
B-7	65 PPM LaserJet	Print Speed: 65 PPM (A4) or Higher
	Printer (B&W)	Resolution: 1200 x 1200 dpi
		Memory: 2 GB RAM (Minimum)
		Processor: Dual Custom
		Built-in Duplex & ADF Direct Print from USB, Advance Box, Remote User Interface, Mobile Printing
		Paper Capacity in multipurpose trays 4,000 sheets (Standard) or Higher
		Hard Disk 250 GB or higher
		Display Screen 9 inch TFT LCD Colour Touch Panel or higher,
		Finisher with minimum 4000 sheets
		USB 2.0 x2 (Host), USB 3.0 x1 (Host), USB 2.0 x1 (Device), Ethernet 1000Base-T/100Base-TX/10 Base-T, Wi-Fi, USB 2.0, Instant-on
		Tech and Auto-On/Auto-off Tech, Technology and Auto-On/Auto-off Technology, Universal Login Manager, User Authentication,
		Opr. Manuals, Power & Interface Cable.
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.
<u> </u>		Printing Economy: Toner (Price, Yield, Page cost), Maintenance Kit (Price, Yield, Page cost), Total Per Page Cost (PKR)

B-8 75 PPM LaserJet Printer (B&W)  Printer (B&W)  Printer (B&W)  Printer (B&W)  Printer (B&W)  Print Speed: 75 PPM (A4) or Higher  Resolution: 1200 x 1200 dpi  Memory: 3 GB RAM (Minimum) Built-in Duplex & ADF  Direct Print from USB, Advance Box, Remote User Interface, Mobile Printing  Multiple Prints: Up to 9,999 copies  Paper Capacity: 4,000 sheets (Standard) or Higher  Hard Disk 250 GB or higher  Display Screen 10 inch TFT LCD Color Touch Panel or higher,	n Level Log-in)
Memory: 3 GB RAM (Minimum) Built-in Duplex & ADF Direct Print from USB, Advance Box, Remote User Interface, Mobile Printing Multiple Prints: Up to 9,999 copies Paper Capacity: 4,000 sheets (Standard) or Higher Hard Disk 250 GB or higher Display Screen 10 inch TFT LCD Color Touch Panel or higher,	n Level Log-in)
Direct Print from USB, Advance Box, Remote User Interface, Mobile Printing Multiple Prints: Up to 9,999 copies Paper Capacity: 4,000 sheets (Standard) or Higher Hard Disk 250 GB or higher Display Screen 10 inch TFT LCD Color Touch Panel or higher,	n Level Log-in)
Multiple Prints: Up to 9,999 copies Paper Capacity: 4,000 sheets (Standard) or Higher Hard Disk 250 GB or higher Display Screen 10 inch TFT LCD Color Touch Panel or higher,	n Level Log-in)
Paper Capacity: 4,000 sheets (Standard) or Higher Hard Disk 250 GB or higher Display Screen 10 inch TFT LCD Color Touch Panel or higher,	n Level Log-in)
Hard Disk 250 GB or higher Display Screen 10 inch TFT LCD Color Touch Panel or higher,	n Level Log-in)
Display Screen 10 inch TFT LCD Color Touch Panel or higher,	n Level Log-in)
	n Level Log-in)
	i Levei Log-ini – i
Universal Login Manager, User Authentication, Department ID Authentication, (Device and Function	
USB 2.0 x2 (Host), USB 3.0 x1 (Host),	uan O Impanfa ao Calala Finishan
USB 2.0 x1 (Device), Ethernet 1000Base-T/100Base-TX/10 Base-T, Wi-Fi, USB 2.0, Opr. Manuals, Pov	ver & interface Cable Finisher
required 4000 sheets finisher (Min)	
NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.	
Printing Economy: Toner (Price, Yield, Page cost), Maintenance Kit (Price, Yield, Page cost), Total F	Per Page Cost (PKR)
B-9 90-110 PPM LaserJet Print Speed: (90-110) PPM (A4) or Higher	
Printer (B&W) Resolution: 1200 x 1200 dpi	
Built-in Duplex & DADF	
Maximum Original Size : up to A3, A4, A4R, A5R	
Memory 3GB RAM or higher	
Input Paper Capacity 4,000 sheets (Standard) or higher	
Direct Print from USB, Advanced Box, Remote User, Interface	
Printing resolution 1200 x 1200 dpi	
Display Screen: 9. inch TFT LCD Color Touch panel or higher	
Hard Disk 250 GB or higher	
Interface: Ethernet 1000Base-T/100BaseTX/10 Base-T, Wi-Fi (Wireless Lan)	
Others: USB 2.0 x2, USB 3.0 x1,	
Finisher with minimum 4000 sheets Opr. Manuals, Power & Interface Cable.	
NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.	
Printing Economy: Toner (Price, Yield, Page cost), Maintenance Kit (Price, Yield, Page cost), Drum	(Price, Yield, Page cost),
Developer (Price, Yield, Page cost), Total Per Page Cost (PKR)	
B-10   120-140 PPM LaserJet   Print Speed: (120-140) PPM or higher	
Printer (B&W) Print resolution 1200 x 1200 dpi	
Memory: 4 GB or higher	
Hard Disk: 500 GB or higher	
Processor : 1.86 GHz or higher	
Paper Registration : Sensor and Mech	
Paper input capacity: 8,000 sheets or higher, Input Trays 7 (minimum) Interface Gigabit Ethernet (	1000BASET/100BASE-
TX/10Base-TX), USB 2.0 Type A x 3/Type B, SD slot Finisher with minimum 4000 sheets Paper Tray C	
with : operational manual, power and interface cable	
NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.	

Printing Economy: Toner (Price, Yield, Page cost), Maintenance Kit (Price, Yield, Page cost), Drum (Price, Yield, Page cost), Developer (Price, Yield, Page cost), Total Per Page Cost (PKR)

	T	
B-11	140 PPM LaserJet	Print Speed: 140 PPM A4 or Higher
	Printer (B&W)	Image Quality: 1200 x 1200 dpi RIP resolution,
		Print Resolution: 1200 x 1200 dpi
		Memory: 8GB or higher
		Hard Disk: 500GB or higher
		Processer: 3.0GHz Dual Core or higher
		Paper input capacity: 8,000 sheets or higher, Ethernet interface: (10/100BaseT; 1 GB),
		Monthly Duty Cycle: 150,000 - 2,000,000 images Paper Sizes: A4, A3 (Or Higher)
Finisher with minimum 4000 sheets		Finisher with minimum 4000 sheets
		Network Protocol: TCP/IP
		Languages: TIFF/PCL <sup>®</sup> 5e & PCL6/ASCII standard Adobe <sup>®</sup> PDF; Adobe PostScript <sup>®</sup> Level 3; Multi-page TIFF; PPML;
		LCDS/Metacode; IPDS™ – includes support for QR barcodes, TrueType fonts (UTF-8), Finisher with Stapler required 4000 sheets
		finisher (Min)
		Digital Front Ends: Print Server Supplied, operational manual, power and interface cables
NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.		· · · · · · · · · · · · · · · · · · ·
		Printing Economy: Toner (Price, Yield, Page cost), Maintenance Kit (Price, Yield, Page cost), Drum (Price, Yield, Page cost),
		Developer (Price, Yield, Page cost), <b>Total Per Page Cost (PKR)</b>
B-12	150 PPM LaserJet	Print Speed: 150 PPM A4 or Higher
D-12	Printer (B&W)	Image Quality: 1200 x 1200 dpi RIP resolution,
	Printer (boxv)	Print Resolution: 4800 x 600 dpi
		· ·
		Memory: 8GB or higher
		Hard Disk: 500GB or higher
		Processer: 3.0GHz Dual Core or higher
		Paper input capacity: 5,800 sheets or higher,
		Ethernet interface: (10/100BaseT; 1 GB),
		Monthly Duty Cycle: 150,000 - 2,000,000 images
		Paper Sizes: A4, A3 (Or Higher)
		Output / Stacking Capacity: 4000 Sheets Singles, Network Protocol: TCP/IP Languages: TIFF/PCL ® 5e & PCL6/ASCII- standard
		Adobe® PDF; Adobe PostScript® Level 3; Multi-page TIFF; PPML; LCDS/Metacode; IPDS™ – includes support for QR barcodes,
		TrueType fonts (UTF-8), Finisher with Stapler required 4000 sheets
		finisher (Min)
		Digital Front Ends: Print Server
		Supplied, operational manual, power and interface cables
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.
		Printing Economy: Toner (Price, Yield, Page cost), Maintenance Kit (Price, Yield, Page cost), Drum (Price, Yield, Page cost),
		Developer (Price, Yield, Page cost), Total Per Page Cost (PKR)
	1	

B-13	1500 LPM Heavy Duty	Line impact dot matrix 1500 Line/min
	Printers	256 MB Flash: 128 MB DDR2 DRAM
		24 x 7 printing with at least
		Draft, Data Processing, Courier, OCR A& B, NLQ Serif, NLQ San s or equivalent Bold, italic, superscript, subscript, underline, over
		line, strike through
		At least 180 X 140 (H X V)
		Straight paper path, paper out and paper motion detection, forms position retained in non-volatile memory Up to 6-part forms, forms thickness
		maximum .025", weight: 15-100 lb. stock Width: 3" - 17"
		USB & RS232C,10/100 Ethernet card for full configuration from webpage to monitor printer status, real time updates &
		storing/Loading/Displaying config Yield of Ribbon in appropriate unit (preferably in pages)
		V+5, 50 Hz (auto-ranging)
		Enclosed paper cabinet, paper tray and castors, Universal power supply – Auto-ranging
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.
		Option1 Without Trading
		Option2 With Trading of Existing Line printers Printronix P7215 at DISCO's Computer Centers (Can be seen in the offices of
		Director (MIS) of all DISCOs in Pakistan)
B-14	132 column wide , 480	With standard specifications ,Operational Manuals, Power & Interface Cable And Dust Covers
	CPS DOT MATRIX	24 pin, impact dot matrix, wide carriage 132 column 480 CPS @10 CPI
	PRINTER	NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.
B-15	80 column wide , 480	With standard specifications ,Operational Manuals, Power & Interface Cable & Dust Covers
	CPS DOT MATRIX	24 pin, impact dot matrix, wide carriage 80 column 480 CPS @10 CPI
	PRINTER	NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.
B-16	22ppm Laser Jet	Print Speed: 22 PPM (A4) or above
	Printer/ Fax/	Processor 400 MHz or higher
	Scanner/Copier	RAM: 256 MB or higher
	(Multifunction)	Scan: 600 x600 dpi, 9600x9600 with (enhanced technology) option.
		Scan to TIFF/JPEG/PDF/Searchable PDF 250 sheet Input tray
		Duty cycle 15,000
		Copy up to 22 CPM, 35 pages ADF capacity, Fax: Res: 200 X 400 dpi support, 256 pages memory
		Connectivity: USB ,Ethernet, Wi-Fi, Wireless direct Operational Manuals, Power & Interface Cable.
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.

B-17	40ppm Laser Jet	Print Speed: 40 PPM (A4) or above
	Printer/ Fax/	Processor 1200 MHz
	Scanner/Copier	Memory 512 MB RAM or Higher
	(Multifunction)	Scan: 1200 x 1200 dpi, option Scan to e- mail
		150 sheet Input tray
		Copy up to 35 CPM, 30 pages ADF Fax:_Res:300 dpi Fax Memory 500 pages. Auto Toner Seal Removal, Auto Delete Suspended
		Job. Secure print. Dept. ID Connectivity: USB,10/100/1000
		base-T Ethernet network port Operational Manuals, Power & Interface Cable.
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.
B-18	45ppm Laser	Print, Copy, Fax and Scan with Scan Gear Technology
	Technology Black	45 ppm or higher,
	mono color Printer/	Processor: 1200 MHz or higher
	Fax/ Scanner/Copier	Memory 512 MB RAM or Higher
	(Multifunction)	Print: 1200 x 1200dpi, Copy: 600 x 600dpi or higher
		A4, A4R, A3, A5, A5R, B4, B5, B5R
		Standard: UFR II LT Adobe PostScript 3 Super G3 Fax
		Automatic Duplex Printing/Scanning. Scan and store directly to your
		USB thumb drive.
		USB, Standard built-in Gigabit Ethernet display rotatable with integrated keyboard
		1 100-sheet multipurpose, 1 550 sheet input trays,
		2 x 550-sheet input trays with stand 250-sheet output bin, Stapler stacker PCL5e, PCL6, Postscript, pdf
		Microsoft Windows 10, Mac OS X v 10.6,
		10.7, Linux, Microsoft Server 2003, 2008 (32bit & 64bit), 2008R2 64bit, 2012 driver support
		NOTE: 03 (three) Years Parts/Labor OEM warranty for all components on site.